

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 9 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L2 | 0 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address")) and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L3 | 34 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L4 | 3 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L5 | 0 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L6 | 0 | "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| L7 | 0 | "virtual address" and ("source node" or source) and ("destination node" or destination) and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L8 | 7 | "virtual address" and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L9 | 7 | ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L10 | 0 | ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel frame" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L11 | 2 | ("5872783").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:47 |
| L12 | 2 | ("5892766").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:34 |
| L13 | 2 | ("5940596").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:37 |
| L14 | 2 | ("6034956").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:40 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| L15 | 2 | ("6147976").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:42 |
| L16 | 2 | ("6215412").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:42 |
| L17 | 39036 | ((370/398) or (370/395) or (370/422) or (370/229) or (370/231) or (370/392) or (370/401) or (370/390) or (370/389) or (370/351) or (370/397) or (370/357) or (370/396) or (370/235) or (370/466) or (370/352) or (370/412) or (370/354) or (370/392) or (370/388) or (709/223) or (709/239) or (709/202) or (709/205) or (709/238) or (709/245) or (709/246) or (709/225) or (709/226) or (709/249) or (709/250) or (709/220) or (709/230) or (709/231) or (713/201)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:57 |
| L18 | 0 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address"))) and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:50 |
| L19 | 9 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address"))) and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:50 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L20 | 23 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L21 | 1 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L22 | 0 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L23 | 0 | L17 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L24 | 0 | L17 and "virtual address" and ("source node" or source) and ("destination node" or destination) and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L25 | 3 | L17 and "virtual address" and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |
| L26 | 3 | L17 and ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:51 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| L27 | 0 | L17 and ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel frame" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:52 |
| L28 | 39333 | ((370/398) or (370/399) or (370/395.31) or (370/395.32) or (370/395) or (370/422) or (370/229) or (370/231) or (370/392) or (370/401) or (370/390) or (370/389) or (370/351) or (370/397) or (370/357) or (370/396) or (370/235) or (370/466) or (370/352) or (370/412) or (370/354) or (370/392) or (370/388) or (709/223) or (709/239) or (709/202) or (709/205) or (709/238) or (709/245) or (709/246) or (709/225) or (709/226) or (709/249) or (709/250) or (709/220) or (709/230) or (709/231) or (713/201)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L29 | 0 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address")) and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L30 | 9 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and ((mapping NEAR "virtual address") or (mapping ADJ "virtual address")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L31 | 24 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| L32 | 1 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:58 |
| L33 | 0 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "path" and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L34 | 0 | L28 and "virtual address" and "source node" and "destination node" and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L35 | 0 | L28 and "virtual address" and ("source node" or source) and ("destination node" or destination) and ("source port" or "source side port") and ("destination port" or "destination side port") and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L36 | 3 | L28 and "virtual address" and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |
| L37 | 3 | L28 and ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/26 14:59 |

| | | | | | |
|-----|---|--|--|-----|------------------|
| L38 | 0 | L28 and ("virtual address" or "destination virtual address") and ("source node" or source) and ("destination node" or destination) and "switch" and "fibre channel frame" and (@prad<"20010427" or @rlad<"20010427") | US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB | OFF | 2005/08/26 14:59 |
|-----|---|--|--|-----|------------------|